



Certificate of Analysis (COA)

Report Number: 25-010634
Report Date : 03/18/2025

1169 Warner Ave, Tustin, CA, 92780 Phone:714-259-0384

Customer* : Blueprint Bryan Johnson

Contact* : Blueprint Bryan Johnson

Samples Received : 01/07/2025
Start of Testing : 01/07/2025
PO Number : 010620252

Phone* :

Sample Name : Longevity Protein

Item # : 18016

Lot # : HI24-348-01 / HI24000097

Lab # : 001

Test Code	Analysis - Method	Result	Spec
NC	Yeast Count (USP 2021)	20 CFU/G	<1000 CFU/G
NC	Mold Count (USP 2021)	<10 CFU/G	<1000 CFU/G
NC	Total Aerobic Microbial Count (Modified USP 2021)	100 CFU/G	<25,000 CFU/G
USPC17	5 Method Bundle Modified USP 2021/2022 (no coliform)	Completed	
NC	E. coli (Modified USP 2022)	Absent	Absent/10g
NC	Salmonella species (Modified USP 2022)	Absent	Absent/25g
NC	Staphylococcus aureus (Modified USP 2022)	Absent	Absent/10g
PRO08	Crude Protein (Dumas) AOAC	28.06 g /47.4 g	NLT 26 g/serving
PES06	Pesticide Screen (Modified USP 561)	Completed	
GLY06	Glyphosate (LC/MS)	Not Detected (LOD < 0.1 ppm)	Report Only
		Test Note: Test performed at CG Burbank. Test Method: MQLTM-1188 by LCMS.	
ELE06	8 Elemental ICP-OES Screen SOP 3.12.4	Completed	
NC	Calcium (Ca) ICP-OES	103.64 mg/47.4g	Report Only
NC	Iron (Fe) ICP-OES	5.69 mg/47.4g	Report Only
NC	Potassium (K) ICP-OES	262.52 mg/47.4g	Report Only
SPHPLC	Special Chemistry Analysis HPLC	Thiamine (SOP 3.1.177): ND, <5ppm	Report only
AFL11	Aflatoxin (LC-MS/MS)	Not Detected, <5 ppb	
NC	Aflatoxin LC/MS B1	Not Detected, <5 ppb	
NC	Aflatoxin LC/MS B2	Not Detected, <5 ppb	
NC	Aflatoxin LC/MS G1	Not Detected, <5 ppb	

Customer :	Blueprint Bryan Johnson	Report Number :	25-010634	Report Date :	03/18/2025
------------	-------------------------	-----------------	-----------	---------------	------------

Billing Code	Analysis - Method	Result	Spec
NC	Aflatoxin LC/MS G2	Not Detected, <5 ppb	
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	Complete	
NC	Arsenic (As) ICP-MS	0.061 ppm	Report Only
NC	Cadmium (Cd) ICP-MS	0.048 ppm	Report Only
NC	Lead (Pb) ICP-MS	0.021 ppm	Report Only
NC	Mercury (Hg) ICP-MS	0.010 ppm	Report Only

Sample Temperature Upon Receipt : 25.0 deg C

Remarks :

Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

For Questions or Comments Contact :
Customer Experience Team
714-259-0384 or
customerexperience_tustin@certifiedgroup.com

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.

Approved By : Katerina Baldwin, Laboratory Directory

Signature : 