



Certificate of Analysis (COA)

Report Number: 25-510880
Report Date : 09/24/2025

1169 Warner Ave, Tustin, CA, 92780 Phone:714-259-0384

Customer* : Blueprint Bryan Johnson

Contact* : Blueprint Bryan Johnson

Samples Received : 09/11/2025
Start of Testing : 09/11/2025
PO Number : PO02077

Phone* :

Sample Name : Blueprint Bryan Johnson Cocoa Powder MFG Date: 09/02/25

Item # : FPWBP1450000

Lot # : HI25-245-01 / 25PG0079

Lab # : 001

Test Code	Analysis - Method	Result	Spec
NC	Mold Count (USP 2021)	< 10 CFU/G	<100 cfu/g
NC	Total Aerobic Microbial Count (Modified USP 2021)	60 CFU/G	< 1000 cfu/g
NC	Yeast Count (USP 2021)	50 CFU/G	<100 cfu/g
USPC17	5 Method Bundle Modified USP 2021/2022 (no coliform)	Completed	
NC	E. coli (Modified USP 2022)	Absent	Absent/10g
NC	Salmonella species (Modified USP 2022)	Absent	Absent/25g
NC	Staphylococcus aureus (Modified USP 2022)	Absent	Absent/10g
ELE03	5 Elemental ICP-OES Screen SOP 3.12.4	Completed	
NC	Calcium (Ca) ICP-OES	11.76 mg/6g	Report Only
NC	Iron (Fe) ICP-OES	1.34 mg/6g	Report Only
NC	Potassium (K) ICP-OES	135.24 mg/6g	Report Only
NC	Phosphorus (P) ICP-OES	54.94 mg/6g	Report Only
NC	Zinc (Zn) ICP-OES	0.60 mg/6g	Report Only
COF01	Cocoa Flavanols (HPLC) SOP 3.1.179	458.35mg/6g	NLT 400mg/6g
AFL11	Aflatoxin (LC-MS/MS)	Completed	
		Test Note: Not Detected (LOD< 0.02 ppm). Test Performed At CG Burbank. Test Method: MQLTM-1129 By LCMS.	
NC	Aflatoxin LC/MS B1	Not Detected (LOD< 0.02 ppm)	
NC	Aflatoxin LC/MS B2	Not Detected (LOD< 0.02 ppm)	
NC	Aflatoxin LC/MS G1	Not Detected (LOD< 0.02 ppm)	
NC	Aflatoxin LC/MS G2	Not Detected (LOD< 0.02 ppm)	

Customer :	Blueprint Bryan Johnson	Report Number :	25-510880	Report Date :	09/24/2025
------------	-------------------------	-----------------	-----------	---------------	------------

Billing Code	Analysis - Method	Result	Spec
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	Complete	
NC	Arsenic (As) ICP-MS	0.049 ppm	Report Only
NC	Cadmium (Cd) ICP-MS	0.814 ppm	Report Only
NC	Lead (Pb) ICP-MS	0.068 ppm	Report Only
NC	Mercury (Hg) ICP-MS	0.052 ppm	Report Only

Sample Temperature Upon Receipt : 25.0 deg C

Remarks :

Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

**For Questions or Comments Contact :
Customer Experience Team
714-259-0384 or
customerexperience_tustin@certifiedgroup.com**

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.

Approved By : Katerina Baldwin, Laboratory Directory

Signature : 