



Certificate of Analysis (COA)

Report Number: 25-134956
Report Date : 03/27/2025

1169 Warner Ave, Tustin, CA, 92780 Phone:714-259-0384

Customer* : Blueprint Bryan Johnson

Contact* : Blueprint Bryan Johnson

Samples Received : 03/07/2025
Start of Testing : 03/07/2025
PO Number : 03052025

Phone* :

Sample Name : Ceremonial Matcha

Item # : FPWBP1560060

Lot # : HI25-059-01 / HI25000027 MFG

Lab # : 001

Date: 28Feb2025

Test Code	Analysis - Method	Result	Spec
NC	Yeast Count (USP 2021)	<10 CFU/G	<100 CFU/G
NC	Mold Count (USP 2021)	<10 CFU/G	<100 CFU/G
NC	Total Aerobic Microbial Count (Modified USP 2021)	<10 CFU/G	<1000 CFU/G
USPC17	5 Method Bundle Modified USP 2021/2022 (no coliform)	Completed	
NC	E. coli (Modified USP 2022)	Absent	Absent/10g
NC	Salmonella species (Modified USP 2022)	Absent	Absent/25g
NC	Staphylococcus aureus (Modified USP 2022)	Absent	Absent/10g
PES06	Pesticide Screen (Modified USP 561)	Completed	
PHT01	Phthalates (GC/MS) SOP 3.2.65	Completed	Conforms to EPA/AHPA
NC	Dimethyl Phthalate (GC)	21.46152 ng/g	Conforms to EPA/AHPA
NC	Diethyl phthalate (GC)	ND (LOD is 1 ng/g)	Conforms to EPA/AHPA
NC	Diisobutyl phthalate (GC)	ND (LOD is 0.8 ng/g)	Conforms to EPA/AHPA
NC	Dibutyl phthalate (GC)	ND (LOD is 1 ng/g)	Conforms to EPA/AHPA
NC	Bis(4-methyl-2-pentyl) phthalate (GC)	ND (LOD is 0.8 ng/g)	Conforms to EPA/AHPA
NC	Bis(2-ethoxyethyl) phthalate (GC)	ND (LOD is 2 ng/g)	Conforms to EPA/AHPA
NC	Dipentyl phthalate (GC)	ND (LOD is 1 ng/g)	Conforms to EPA/AHPA

Customer :	Blueprint Bryan Johnson	Report Number :	25-134956	Report Date :	03/27/2025
------------	-------------------------	-----------------	-----------	---------------	------------

Billing Code	Analysis - Method	Result	Spec
NC	Dihexyl phthalate (GC)	ND (LOD is 1.2 ng/g)	Conforms to EPA/AHPA
NC	Benzyl phthalate (GC)	ND (LOD is 2 ng/g)	Conforms to EPA/AHPA
NC	Dicyclohexyl phthalate (DCHP) (GC)	ND (LOD is 2 ng/g)	Conforms to EPA/AHPA
NC	Bis(2-ethylhexyl) phthalate (GC)	773.690726 ng/g	Conforms to EPA/AHPA
NC	Di-n-octyl phthalate (DNOP) (GC)	ND (LOD is 2 ng/g)	Conforms to EPA/AHPA
GMO01	GMO detection RT-PCR SOP 3.14.68	PCR Inhibitor Present	Report only in percent %
GLY06	Glyphosate (LC/MS)	Not Detected (LOD<0.1 ppm)	Report Only
		Test Note: Test performed at CG Burbank. Test Method: MQLTM-1188 by LCMS.	
HMS35	Heavy Metal Screen 4 - ICPMS: As, Cd, Hg, Pb	Complete	
NC	Arsenic (As) ICP-MS	0.068 ppm	Report Only
NC	Cadmium (Cd) ICP-MS	0.015 ppm	Report Only
NC	Lead (Pb) ICP-MS	0.082 ppm	Report Only
NC	Mercury (Hg) ICP-MS	0.005 ppm	Report Only

Customer :	Blueprint Bryan Johnson	Report Number :	25-134956	Report Date :	03/27/2025
------------	-------------------------	-----------------	-----------	---------------	------------

Billing Code	Analysis - Method	Result	Spec
--------------	-------------------	--------	------

Sample Temperature Upon Receipt : 25.0 deg C

Remarks : Revised COA - Phthalates Specification Updated Per Client Request
03/26/2025 5:39 PM CR

Certified Group - Tustin is accredited to the ISO/IEC 17025:2017 standard and specializes in the testing of botanical ingredients, dietary supplements, and foods. Certified Group - Tustin is not an FDA drug registered facility, therefore any data or results provided by Certified Group - Tustin are not intended to fulfill any requirements under the drug cGMPs dictated in 21 CFR Parts 210 and 211.

For Questions or Comments Contact :
Customer Experience Team
714-259-0384 or
customerexperience_tustin@certifiedgroup.com

All results contained in the above report relate only to the items tested. All samples received in satisfactory condition unless noted otherwise. *The indicated information has been provided by the client to Certified Group - Tustin.

Approved By : Katerina Baldwin, Laboratory Directory

Signature : 